

### **INSTRUCTION MANUAL**

# The Alpine

### **Model LS0700**

#### **ATTENTION!!**

WHEN YOU SEE A "A WARNING!" BE SURE TO HEED THE MESSAGE!
THE INFORMATION CONTAINED IN THESE MESSAGES
CAN SAVE YOUR LIFE!!

**PLEASE NOTE THAT** WARNING! statements have been placed throughout this Instruction Manual. These statements point out important safety information and instructions, which, if not followed could endanger the personal safety and/or property of the operator. It is imperative that the operator of this product, or any other product(s) read and follow all the instructions and warnings contained in this Manual prior to attempting to use this product(s), or any other product(s). Failure to comply with these instructions and/or warnings may result in serious personal injury or death!



This Instruction Manual complies with the Treestand Manufacturers Association's TMS 04 - Standard Practice for Treestand Instructions and TMS 02 - Standard Test Method for Treestand Fall Arrest Systems

PO Box 382 • Windom, MN 56101 (800) 268-5077 • (507) 831-4350

www.BigGameTreestands.com

January 2016. Published by Mainstream Holdings, Inc., Windom, Minnesota.
© 2016 Mainstream Holdings, Inc. All rights reserved.

### LADDERSTAND USAGE INSTRUCTIONS & WARNINGS

**LS0700 • THE ALPINE** 

MAX. OCCUPANCY - One (1)

CARRYING CAPACITY (USER AND EQUIPMENT) 300 lbs/136 kg

MARNING! This Big Game® product carries strict weight restrictions. DO NOT use this product if you exceed these total weight limitations. Please note that these weight limitations include the user(s) and their equipment. Failure to follow these instructions may result in serious injury or death!

A "Treestand Safety" DVD has been included. Please view it in its entirety prior to using this product!

Thank you for your purchase of this quality Big Game® Treestands product. To ensure your personal safety, please take a moment to carefully read this Instruction Manual in its entirety before attempting to set-up, install, remove and/or otherwise use this Big Game® Treestands product(s). Failure to follow these instructions may result in serious injury or death!

Shall you have any questions about the installation, removal, and/or use of this product, or any other Big Game® Treestands product(s) do not hesitate to call one of our customer service representatives toll free at (800) 268-5077 or visit us online at www.BigGameTreestands.com. Our customer service representatives will answer any questions you may have about any of the complete line of Big Game® Treestands products.

Do not return this product to the retailer if you have any damaged or missing parts. Call Big Game® Treestands for replacement of any damaged or missing parts toll free at (800) 268-5077. Please have the batch/serial number ready (find your batch number on a riveted metal tag affixed to your product) before calling to better assist you.

WARNING! Failure to read and strictly comply with the instructions contained in this Instruction Manual may result in serious injury or death!

WARNING! FALLS FROM A TREESTAND CAN OCCUR ANYTIME AFTER LEAVING THE GROUND. THESE FALLS COULD RESULT IN EITHER SERIOUS INJURY OR DEATH! FOR YOUR PERSONAL SAFETY, PLEASE TAKE A MOMENT TO CAREFULLY READ THIS PRODUCTINSTRUCTION MANUAL IN ITS ENTIRETY BEFORE ATTEMPTINGTO ASSEMBLE, SET-UP, INSTALL AND/OR OTHERWISE USE THIS BIG GAME® PRODUCT(S). AT LEAST ANNUALLY, REVIEW THE CONTENTS OF THIS INSTRUCTION MANUAL AND WATCH THE SAFE TREESTAND HUNTING DVD. ADDITIONALLY, KEEP THESE INSTRUCTIONS FOR THE ENTIRE DURATION THAT YOU OWN THIS PRODUCT(S). FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

**WARNING!** A "Treestand Safety" DVD has been included with this treestand. Please view it in its entirety prior to using this or any other Big Game® product(s). Failure to follow these instructions may result in serious injury or death!

WARNING! Prior to each hunt, you must inform someone of your hunting location, including the specific location of your treestand and the expected duration of your hunt. Failure to follow these instructions may result in serious injury or death!

WARNING! THE SAFE USE AND OPERATION OF THIS PRODUCT(S) IS THE SOLE RESPONSIBILITY OF THE USER. IT IS ALSO THE SOLE RESPONSIBILITY OF THE OWNER TO PROVIDE ANY PERSON(S) WHO BORROW OR PURCHASE THIS PRODUCT(S) WITH THESE INSTRUCTIONS AND THE AFORE MENTIONED A "TREESTAND SAFETY" DVD. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH! ADDITIONALLY, FAILURE TO FOLLOW THIS INSTRUCTION MAY SUBJECT YOU TO PERSONAL LIABILITY PENALTIES AS DETERMINED BY THE U.S. JUDICIAL SYSTEM.

WARNING! Do not remove, modify, and/or omit any portion or otherwise mechanically modify this Big Game® product(s) or its assemblies in any manner. Modification, misuse, and/or part substitution shall immediately void your factory warranty and may result in serious injury or death! If you suspect that a part(s) is missing and/or defective, immediately contact Big Game® toll-free at (800) 268-5077 for replacement of missing or defective parts. Please have the batch/serial number ready (find your batch number on a riveted metal tag affixed to your product) before calling to better assist you. Never modify your stand in any way by making repairs, or altering, adding or attaching anything to it except if explicitly authorized in writing by Big Game®. ALWAYS USE GENUINE FACTORY AUTHORIZED BIG GAME® REPLACEMENT PARTS. USE OF ANY REPLACEMENT PARTS OTHER THAN GENUINE BIG GAME® PARTS VOIDS YOUR WARRANTY AND MAY RESULT IN SERIOUS INJURY OR DEATH!

WARNING! Prior to each hunt, make sure that you have a signaling device (e.g., mobile phone, radio, whistle, signal flare or Personal Locator Device (PLD) in your possession and in an operable condition. This device must be within easy access shall you experience the need to contact emergency assistance. Failure to follow these instructions may result in serious injury or death!

WARNING! ALWAYS inspect/check ALL expiration dates/tags on all straps (e.g., tree belt, tether/lanyard, etc.) and the full-body fall arrest harness and its components prior to each use. You must replace ALL straps and suspension seats EVERY year. Never use any strap(s) or full-body fall arrest harness that has expired and/or is showing any signs of damage and/or wear. Failure to follow these instructions may result in serious injury and death!

WARNING! Make certain all chains, cable straps, etc. are tightened per this Instruction Manual prior to use. All treestand bark biters must be in contact with the tree before you step onto the stand. The correct adjustment and tightening of attachment hardware (as outlined in each individual instructions) is critical to the stable installation of the ladderstand(s). Additionally, you MUST be wearing your Fall Arrest System (FAS) which includes a full-body fall arrest harness, tree belt, lanyard/tether, suspension relief device and climbing belt/linesmen belt (as applicable) in accordance with the Instructions contained in this Instruction Manual. Failure to follow these instructions may result in serious injury or death!

WARNING! This product(s) is designed for adult use only. No one under the age of 16 shall attempt to use this or any other product(s) without direct adult supervision. Failure to follow these instructions may result in serious injury or death!

WARNING! Prior to attempting to use this or any other Big Game® product(s) you must take a moment and become familiar with its assembly, setup, installation, use, and removal. You must practice installing, setting up, using and removal of this product(s) at ground-level prior to attempting to use it at heights above ground-level. Once you have become thoroughly knowledgeable and comfortable with this Big Game® product(s) setup, installation, use, and removal at ground-level, you are now ready to use it at heights above ground-level. Failure to follow these instructions may result in serious injury or death!

**WARNING!** Several Big Game® products are equipped with a footrest, armrests, backrests and/or shooting rail. Neither the footrest, armrests, backrests nor the shooting rail have been designed to support the users weight. Under no circumstances shall you place any more than fifteen (15) pounds (7 kg) of weight on these structures. Doing so will put the user in serious risk of injury or death. Failure to follow these instructions may result in serious injury or death!

**WARNING! DO NOT** modify, fix/repair, alter, bend, cut, weld, drill, or heat the treestand in any way. Additionally, do not attach anything to your treestand without explicit authorized and written instructions from the manufacturer. Failure to follow these instructions will void your warranty and may result in serious injury or death!

WARNING! Never attempt to climb up or down with a weapon and/or gear in your possession. ALWAYS unload your weapon and pull it up to hunting height using a tether or pull up rope. ALWAYS lower your unloaded weapon down to the ground prior (when raising or lowering firearms, the chamber must be open and the barrel pointing toward the ground) to attempting to climb up or climb down. Use this same method when raising or lowering all other gear. Failure to follow these instructions may result in serious injury or death!

WARNING! Prior to each use thoroughly inspect the treestand (and its components) and all safety devices each time before use for signs of wear, rot, corrosion, cracks, deterioration and/or any other type of defect(s). Make certain that your treestand is tight and secure prior to use. Protect this product(s) from extended exposure to direct sunlight, excessive heat or freezing temperatures by storing inside when not in use. Do not use this or any other product(s) if it shows evidence of wear, rot, corrosion, cracks, deterioration and/or any other type of defect(s). Failure to follow these instructions may result in serious injury or death!

WARNING! DO NOT attempt to make adjustments to this product while in the treestand. All adjustments must be made with the entire treestand on the ground. Failure to follow these instructions may result in serious injury or death!

WARNING! DO NOT use this or any other Big Game® products(s) if you have a history of heart problems, back problems, impaired vision, joints that lock-up, spinal fusions, equilibrium problems, high blood pressure, are not well-rested and/or any other physical impairment that may limit your ability to use and/or operate this product(s) in the safe manner outlined in this Instruction Manual. Additionally, do not use this or any other Big Game® product(s) if you are currently taking medication (including prescription) and/or using and/or consuming any substance, including alcohol, that may limit your ability to use this Big Game® product(s) as outlined and described in the Instruction Manual. Never use a treestand when feeling ill, nauseous or dizzy. Failure to follow these instructions may result in serious injury or death!

WARNING! DO NOT leave your Big Game® product(s) installed for more than two weeks (14 days). Any number of factors can jeopardize its installation and integrity. These include, but are not limited to, weather or other environmental factors that can negatively affect its performance. Animals can also cause damage to your Big Game® product(s) that can negatively affect its performance and your safety. Additionally, factors such as tree growth can stress and damage supporting straps, chains and/or buckles. Failure to follow these instructions may result in serious injury or death!

WARNING! Strict weight limitations have been set for each product(s) to ensure your personal safety. Note the weight limitations and maximum occupancy for your Big Game® product(s). This weight limit includes the user(s) and equipment. NEVER EXCEED THESE WEIGHT LIMITATIONS! Failure to follow these instructions may result in serious injury or death!

**WARNING! DO NOT** jump or bounce on the treestand platform and/or the seat to engage the stand to the tree. Failure to follow these instructions may result in serious injury or death!

warning! Do NOT attempt to use this or any other Big Game® product(s) when ice, snow, and/or freezing rain has deposited or formed on any portion of the tree or stand you intend to climb. Do not attempt to use this or any other Big Game® product(s) when thunderstorms are threatening and/or present within five (5) miles (8 km). Do not attempt to use this or any other product(s) when any other adverse weather condition(s) presents itself. These include, but are not limited to, weather conditions which have the potential for producing winds, lightning, rain, snow, sleet and/or any other atmospheric condition which may limit the user's ability to operate this Big Game® product(s) in a safe manner as described in this Instruction Manual. Shall inclement weather conditions arise during your use of this Big Game® product(s), return to the ground immediately and seek proper man-made shelter. Failure to follow these instructions may result in serious injury or death!

WARNING! BEFORE each use, make sure all nuts and bolts are secure. CHECK all hardware and webbing prior to every use to make sure that no damage has occurred to hardware and that webbing (as applicable) is not cut or frayed. Keep webbing from coming into contact with any sharp edges. DO NOT USE THIS PRODUCT IF ANY DAMAGE IS SUSPECTED. Failure to follow these instructions may result in serious injury or death!

**WARNING!** The criss-cross straps and stabilization devices must be attached and tightened before attempting to climb to the seating/standing platforms. Failure to follow these instructions may result in serious injury or death!

**WARNING! DO NOT** stand on the treestand seat. Failure to follow these instructions may result in serious injury or death!

WARNING! REPLACE any damaged or worn part with original parts. Replace attachment belts every three years and when not in use store in a dry, cool, safe place away from sunlight. Never store a treestand or any of its components outdoors when not in use. To purchase parts contact Big Game® at (800) 268-5077, please have the batch/serial number ready (find your batch number on a riveted metal tag affixed to your product) before calling to better assist you. Failure to follow these instructions may result in serious injury or death!

WARNING! ALWAYS wear the appropriate foot wear when using a treestand. A good non-slip safety boot is important for your safety. Be especially careful that boot laces do not get hooked on the treestand (or any of its components) or climbing aids (tuck shoelaces into boot before climbing). Failure to follow these instructions may result in serious injury or death!

WARNING! NEVER hunt out of a treestand at heights at which you are not completely comfortable. Depending upon the tree and hunting conditions, choose the minimum hunting height that allows for safe, effective hunting. Failure to follow these instructions may result in serious injury or death!

WARNING! These Big Game® product(s) were designed for installation on trees with a minimum diameter of nine (9) inches (23 cm) and a maximum diameter of (22) inches (56 cm) at treestand installation height (i.e., seat height). **DO NOT** use your Big Game® product(s) on trees with trunk diameters that do not meet this minimum/maximum diameter requirement. Failure to follow these instructions may result in serious injury or death!

WARNING! A minimum of three (3) adults is required to install and/or remove a ladderstand. Failure to follow these instructions may result in serious injury or death!

WARNING! When installing a ladderstand, always apply weight on the first rung to set the ladder firmly into the ground. Failure to follow these instructions may result in serious injury or death!

**WARNING!** Check the ground under ladderstands and climbing systems to make sure it is firm and level. Sloping ground or uneven surfaces (e.g., one side on a rock) can cause the ladder to tilt or shift off the tree as you climb. Failure to follow these instructions may result in serious injury or death!

WARNING! ALWAYS maintain three-point contact when climbing up/down a tree when using climbing aids and/or ladderstands. Proper three-point contact means having either two feet with one hand or one foot with two hands on the step portion of the climbing aids at all times when climbing up or down. Failure to follow these instructions may result in serious injury or death!

**WARNING!** When installing ladderstands, **ALWAYS** lean forward as you climb and attach your full-body fall arrest harness tree belt to the tree prior to securing the ratchet strap(s) on the platform(s) to the tree and stepping onto the platform. Failure to follow these instructions may result in serious injury or death!

Shall you have any questions about the assembly, installation or use of this product, or any other product, please do not hesitate to call one of our customer service representatives at (800) 268-5077 and they will answer all questions you may have about any of the complete line of products. Please have the batch/serial number ready (find your batch number on a riveted metal tag affixed to your product) before calling to better assist you.

### **FULL-BODY FALL ARREST HARNESS USAGE INSTRUCTIONS & WARNINGS**

WARNING! Failure to read and strictly comply with the instructions contained here may result in serious injury or death!

READ THE FULL-BODY FALL ARREST HARNESS SECTION CAREFULLY AND FOLLOW ALL OF THE INSTRUCTIONS! YOUR FULL-BODY FALL ARREST HARNESS AND ITS COMPONENT (I.E., LANYARD/TETHER, TREE BELT, CLIMBING BELT (LINEMAN'S BELT AS APPLICABLE), SUSPENSION RELIEF DEVICE) IS DESIGNED FOR A MAXIMUM CAPACITY (USER AND EQUIPMENT) OF 300 POUNDS (136 kg). ADDITIONALLY, YOUR FULL-BODY FALL ARREST HARNESS (AND ITS COMPONENTS) MUST BE REPLACED AFTER THREE (3) YEARS OF SERVICE! PLEASE CONTACT BIG GAME® FOR FULL-BODY FALL ARREST HARNESS REPLACEMENT PROCEDURE SHALL YOU EXPERIENCE A FALL OR SHALL IT EXCEED THE THREE (3) YEAR SERVICE PERIOD.

WARNING! Prior to attempting to use this or any other Big Game® product(s) you must take a moment and become familiar with its assembly, setup, installation, use and removal. You must practice installing, setting-up and using your full-body fall arrest harness and its components (i.e., lanyard/tether, tree belt, suspension relief device, climbing belt/lineman's belt [as applicable]) at ground-level prior to attempting to use it at heights above ground-level. Once you have become thoroughly knowledgeable and comfortable with this product(s) assembly, setup, installation, use and removal at ground-level, you are now ready to use it at heights above ground-level. Failure to follow these instructions may result in serious injury or death!

#### READ THIS MANUAL IN ITS ENTIRETY PRIOR TO USING THIS PRODUCT.

WARNING! You must wear a Fall Arrest System (FAS) comprising of a full-body fall arrest harness, lanyard/tether, tree belt, suspension relief device and climbing belt/lineman's belt (as applicable) at all times after leaving the ground. You must stay connected at all times after leaving the ground while using fixed position treestands. Single safety belts and chest harnesses are no longer preferred and shall never be used. If you are not wearing a full-body fall arrest harness (that is connected to the tree) that is protecting you from a fall, do not leave the ground. Failure to follow these instructions may result in serious injury or death!

WARNING! You must practice putting the full-body fall arrest harness on, adjusting and using your full-body fall arrest harness and it's components (i.e., lanyard/tether, tree belt, suspension relief device, climbing belt/lineman's belt [as applicable]) at ground-level in the presence of a responsible adult to experience the feeling of hanging suspended before using in a hunting environment. This experience will ensure you remain calm and collected shall you experience a fall while hunting. Failure to follow these instructions may result in serious injury or death!

WARNING! The length of the full-body fall arrest harness lanyard/tether must be kept to a minimum at all times during use. It must be adjusted so that it is above the head with no slack (snug) in the seating position and you shall have the minimum amount of slack possible when climbing. Never let the tether strap get under your chin or around your neck. Failure to follow these instructions may result in serious injury or death!

**WARNING!** Shall you experience a fall there is time to make a correct decision on what action needs to take place. It is important to remember: **DO NOT PANIC!** Failure to follow these instructions may result in serious injury or death!

WARNING! FALLS FROM A TREESTAND CAN OCCUR ANYTIME AFTER LEAVING THE GROUND. THESE FALLS COULD RESULT IN EITHER SERIOUS INJURY OR DEATH! FOR YOUR PERSONAL SAFETY, PLEASE TAKE A MOMENT TO CAREFULLY READ THIS PRODUCT INSTRUCTION MANUAL IN ITS ENTIRETY BEFORE ATTEMPTING TO ASSEMBLE, SET-UP, INSTALL, REMOVE, AND/OR OTHERWISE USE THIS BIG GAME® PRODUCT(S). AT LEAST ANNUALLY, REVIEW THE CONTENTS OF THIS INSTRUCTION MANUAL AND WATCH THE "TREESTAND SAFETY" DVD. ADDITIONALLY, KEEP THESE INSTRUCTIONS FOR THE ENTIRE DURATION THAT YOU OWN THIS BIG GAME® PRODUCT. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

**WARNING!** If you have a limiting physical and/or health condition that precludes and/or renders you incapable of self-recovery and/or a suitable escape plan is not available, **DO NOT** hunt from heights above ground-level. Failure to follow these instructions may result in serious injury or death!

WARNING! THE SAFE USE AND OPERATION OF THIS BIG GAME® PRODUCT IS THE SOLE RESPONSIBILITY OF THE USER. IT IS ALSO THE SOLE RESPONSIBILITY OF THE OWNER TO PROVIDE ANY PERSON(S) WHO BORROW OR PURCHASE THIS PRODUCT FROM THEM WITH THESE COMPLETE INSTRUCTIONS. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH! ADDITIONALLY, FAILURE TO FOLLOW THESE INSTRUCTIONS MAY SUBJECT YOU TO PERSONAL LIABILITY PENALTIES AS DETERMINED BY THE U.S. JUDICIAL SYSTEM.

WARNING! Practice the use of your Big Game<sup>\*</sup> full-body fall arrest harness and Suspension Relief Device (SRD) at ground-level in the presence of a responsible adult to experience the feeling of hanging suspended before using in a hunting environment. Failure to follow these instructions may result in serious injury or death!

WARNING! NEVER allow the full-body fall arrest harness lanyard/tether to get under your chin or around your neck. This poses a choking hazard that can lead to serious injury or death. Failure to follow these instructions may result in serious injury or death!

**MARNING!** If your hunting location is unknown by anyone and communication efforts are unsuccessful, you must have a personal plan for self-recovery/escape shall you experience a fall. Prolonged suspension in a full-body fall arrest harness can be fatal. It is important to exercise the legs by pushing against the tree or doing other forms of continuous leg exercises to avoid blood pooling while being suspended. Varying degrees of physical fitness may require different plans for self-recovery/escape the effects of prolonged suspension. Have a personal plan and practice it in the presence of a responsible adult before leaving the ground. No one escape/rescue plan will work for every hunter, on every tree, in every circumstance. Only you can determine the best self-recovery/escape plan for your hunting situation before leaving the ground. There is time to make a correct decision on what action to take if a fall occurs while wearing a full-body fall arrest harness. It is important to remember, DO NOT PANIC. Remain calm and implement your practiced rescue, relief and recovery plan. Hunt from the ground when a self-recovery /escape ability is absent. Failure to follow these instructions may result in serious injury or death!

#### **FULL-BODY FALL ARREST HARNESS INSTRUCTIONS**

WARNING! READ THESE BIG GAME TREESTANDS FULL-BODY FALL ARREST HARNESS INSTRUCTIONS CAREFULLY AND FOLLOW ALL THE INSTRUCTIONS! YOUR NEW FULL-BODY FALL ARREST HARNESS IS DESIGNED FOR A MAXIMUM CAPACITY (USER AND EQUIPMENT) OF 300 POUNDS (136 kg). ADDITIONALLY, YOUR NEW FULL-BODY FALL ARREST HARNESS MUST BE REPLACED AFTER THREE (3) YEARS OF SERVICE! REPLACE YOUR FULL-BODY FALL ARREST HARNESS IMMEDIATELY SHALL YOU EXPERIENCE A FALL WHILE WEARING IT.

WARNING! Use the Big Game<sup>°</sup> full-body fall arrest harness provided with this product or a harness that meets or exceeds industry standards recognized by TMA. NOTE: You must store your full-body fall arrest harness out of direct sunlight and out of any other harsh environmental condition(s) that may adversely affect its performance. Failure to follow these instructions may result in serious injury or death!

**STEP 1.** Identify the main parts of the full-body fall arrest harness (Fig. 1). Hold the full-body fall arrest harness by the tether loop insuring the harness is upright and leg straps are hanging down. Straighten any parts that have become twisted. Insert arms through each shoulder strap (Fig. 2).

**STEP 2.** Feed the left leg strap between legs and thread through the bottom left waist loop. Repeat with the right leg strap, feeding between legs and through right waist loop (Fig. 3).


**STEP 3.** Secure the two leg straps by threading the three bar buckle (Fig. 4). Tighten the leg straps snuggly. **DO NOT** over tighten as this will cut off the circulation to your legs. The Big Game\* full-body fall arrest harness shall look like the one depicted in Figure 6 when donned correctly.


WARNING! It is very important to complete this Step of the assembly. An improperly secured buckle may cause full-body fall arrest harness failure resulting in serious injury or death! If there is not enough strap available to complete this Step, DO NOT USE THIS FULL-BODY FALL ARREST HARNESS! You may need to purchase and use a larger specialty sized full-body fall arrest harness that meets or exceeds industry standards recognized by TMA.

WARNING! It may be necessary to purchase an aftermarket full-body fall arrest harness which meets or exceeds industry standards recognized by TMA shall the Big Game® full-body fall arrest harness provided with this Big Game® product not be sufficiently large enough. Never exceed the weight capacity of this product(s). Failure to follow these instructions may result in serious injury or death!


**STEP 4.** If necessary to use a climbing belt for the field installation of your treestand (as per the specific Instructions for your specific treestand model), feed the climbing belt through one of the waist loops and wrap the free end around the tree. Then feed opposite end through the opposite waist loop and use three bar buckle method described in Fig 4 to secure (Fig. 5).

**STEP 5.** Once you have reached your desired height, insert the tree belt through the loop of the tether (Fig. 6). Then, carefully wrap the tree belt around the tree at a height that allows just enough slack for you to sit comfortably in your stand. Keeping the tether as short as possible limits the distance you will travel, in the unlikely event you shall experience a fall. To secure the tree belt, insert the free end up through the slot in the buckle closest to opposite end of the tree belt, then cross over the sliding mechanism and back down through opposite slot. Pull on tree belt to secure and test to make sure sliding mechanism engages, creating secure tree belt placement (Fig. 7, 8, 9).






















#### STEPS TO FOLLOW IF A FALL WERE TO OCCUR:

Although no one plans to fall from their treestand, falls can and do occur without warning. It is important to become familiar with the guidelines below and practice your recovery plan at ground-level. Failure to read, understand, and follow these STEPS may result in serious injury or death!

WARNING! There is time to make a correct decision on what action to take if a fall occurs while wearing a full-body fall arrest harness. It is important NOT TO PANIC! Remain calm and implement your practiced rescue, relief and recovery plan. Failure to follow these instructions may result in serious injury or death!

WARNING! A suspension relief device must be on your person and readily accessible while using a full-body fall arrest harness. These devices will allow you to relieve the load on the lower extremities if suspended in a full-body fall arrest harness and help maintain circulation in the legs and mitigate (minimize) suspension trauma (blood pooling) or allow descent to the ground. Follow all instructions below regarding the provided SRD (Suspension Relief Device) Failure to follow full-body fall arrest harness instructions could result in not being able to return to the stand and being suspended in a full-body fall arrest harness after a fall. Failure to follow these instructions may result in serious injury or death!

**STEP 1.** After a fall, take a moment to catch your breath and stay calm. **DO NOT PANIC.** 


**STEP 2.** Pull on the **SRD strap** located on the front side of your **full-body fall arrest harness** (Fig. 10).


**STEP 3.** Adjust the **SRD strap** so that you are able to step into the loop and then stand up, relieving the pressure on your lower extremities. The loop size can be adjusted by moving the buckle up or down (Fig. 11 and 12).


**STEP 4.** If you are able to reach your ladder or climbing system, use it to get back into your secured treestand and then carefully climb down to ground-level. If you are not able to reach your stand, remain calm and continue to stand in the **SRD loop** until help arrives (Fig. 13).


**STEP 5.** Use your **personal locating device** or **cell phone** to call for help.

**NOTE:** Several optional products/systems are available that offer self-recovery or self-extraction from a fall when suspended in a full-body fall arrest harness. Some systems automatically descend the user while others allow user control. One of these products/systems can be considered for use as an additional safety precaution against prolonged suspension and suspension trauma. Be sure to follow the manufacturers' directions on the safe use of these products/systems.









#### **LS0700 THE ALPINE**

WARNING! Read the WEIGHT RESTRICTION WARNING, USAGE INSTRUCTIONS & WARNINGS and FULL-BODY FALL ARREST HARNESS USAGE INSTRUCTIONS & WARNINGS on pages 3-7 prior to assembly of this product! Failure to follow the instructions on this page and pages 3-7 may result in serious injury or death!

WARNING! DO NOT over tighten the hardware. Over tightening can lead to structural damage and may negatively affect the performance of your stand. Failure to follow these instructions may result in serious injury or death!

Refer to pages 11-14, **Field Installation-Ladderstands**, for installation instructions.

**NOTE:** Steps 1-13 require you to temporarily finger tighten nuts to ensure proper alignment.

**STEP 1.** Attach the **top ladder extensions** to a **ladder section** using (2) 1/4" x 1 1/4" hex bolts [B] and (2) 1/4" nylock nuts. **Note**: When attaching **top ladder extensions** be sure that the bends are facing outward (Fig. 1).

STEP 2. Next, attach the side frames to the top ladder extensions using (2) 1/4" x 1 1/4" hex bolts [B] and (2) 1/4" nylock nuts to secure (Fig. 1).

**STEP 3**. Insert the **rear frame support** into the **side frames** aligning holes and secure using (2) 1/4" x 1 1/4" hex bolts [B] and (2) 1/4" nylock nuts (Fig. 1).

**STEP 4.** Next, connect the **left** and **right seat supports**. Then, attach the assembled **seat support** to the **side frames** and **armrests** using (2) 1/4" x 2 3/4" hex bolts [F] and (2) 1/4" nylock nuts. **Note:** The lower holes are used in the **armrests** and **seat support.** The bolts must be installed from the outside to the inside (Fig. 2).

**STEP 5.** Slide the **left** and **right shooting rail stops** over the front of the **armrests** and secure using (2) 1/4" delta bolts (Fig. 2A). Next, attach the front of the **armrests** to the outside of the **side frames** using (2) 1/4" x 2" hex bolts [D] and (2) 1/4" nylock nuts (Fig. 2).

**STEP 6.** Attach the **footrest** and **standing platform** to the **top ladder extensions** using (2) 1/4" x 2 1/4" hex bolts [E], (2) 1/4" nylon spacers and (2) 1/4" nylock nuts to secure (Fig. 3).

00 S	Minimum/Maximum Tree Diameter	Max. Weight Capacity (User and Equipment)	Maximum Occupancy	Tools Required for Assembly
LS070 SPEC	9" min. (23 cm) and 20" max. (51 cm) at installation height (i.e., seating platform height)	300 lbs/136 kg	ONE (1)	Adjustable Wrench - Qty 2 (Not included)

Parts List (LS0700)					
Part #	Description	Qty	Part #	Description	Qty
UP14-0020	Ladder Section	4	UP12-0067	Seat Bar	1
UP16-0015	Bottom Ladder Section	1	UP10-0027	Ratchet Strap	2
UP16-0016	Ladder Section Support	2	UP10-0183	Stabilizer Strap	2
UP16-0017	Support Bar Ladder Piece	2	UP10-0182	Rope	1
UP16-0018	Support Bar Tree Piece	1	UP14-0209	Full Body Harness A130	1
UP16-0019	Adjustable Support Bar	1	UP12-0191	Safety DVD	1
UP16-0020	Under Support Gusset Male Piece	2	UP16-0032	Instruction Manual	1
UP16-0021	<b>Under Support Gusset Female Piece</b>	2		HARDWARE PACK	
UP16-0022	Left Shooting Rail Piece	1	UP77-0016	[A] 1/4" x 1" Hex Bolt	1
UP16-0023	Right Shooting Rail Piece	1	UP77-0018	[B] 1/4" x 1 1/4" Hex Bolt	11
UP16-0024	Rear Frame Support	1	UP77-0019	[C] 1/4" x 1 1/2" Hex Bolt	2
UP16-0025	Side Frame	2	UP77-0023	[D] 1/4" x 2" Hex Bolt	12
UP16-0026	Top Ladder Extension	2	UP77-0024	[E] 1/4" x 2 1/4" Hex Bolt	6
UP16-0027	Standing Platform	1	UP77-0026	[F] 1/4" x 2 3/4" Hex Bolt	2
UP16-0028	Left Seat Support	1	UP77-0119	[G] 1/4" x 2 1/4" Carriage Bolt	2
UP16-0029	Right Seat Support	1	UP77-0001	1/4" Nylock Nut	34
UP16-0030	Seat Assembly	1	UP77-0138	Seat Tension bolt	1
UP16-0031	Rear Support Hoop	1	UP77-0139	1/4" Delta Bolt	2
UP15-0453	Backrest Cushion	1	UP77-0008	Nylon Spacer 1/4" x 1/4"	2
UP10-0303	Shooting Rail Cover	1	UP77-0009	Nylon Spacer 1/4" x 3/8"	2
UP10-0190	Foot Rest	1	UP77-0002	Nylon Washer	10
UP11-0047	Armrest	2	UP77-0003	1/4" Delta Nut	2
UP10-0439	Armrest Cover	2	UP77-0127	Allen Wrench	1
UP12-0130	Right Shooting Rail Stop	1	UP77-0065	Snap Pin 1/4" x 2"	3
UP12-0131	Left Shooting Rail Stop	1	UP77-0155	Snap Pin 1/4" x 1 1/4"	2
UP12-0066	Seat Rest	2			

**STEP 7.** Insert the **seat bar** through the front of the **seat assembly** and secure using (1) 1/4" x 1 1/4" hex bolt [B] and (1) 1/4" nylock nut. **NOTE**: The seat tension bolt must be threaded completely into the **seat bar** for proper assembly (Fig. 3A).

**STEP 8.** Then, attach the **seat assembly** to the **seat support** using (2)  $1/4^{\prime\prime} \times 1$   $1/4^{\prime\prime}$  hex bolts [B], (2) nylon washers and (2)  $1/4^{\prime\prime}$  nylock nuts (Fig. 3).

**STEP 9.** Connect the **left** and **right shooting rails** using (1)  $1/4" \times 1"$  hex bolt [A] and (1) 1/4" nylock nut. Attach the assembled **shooting rail** to the outside of the **armrests** using (2)  $1/4" \times 2 1/4"$  carriage bolts [G], (2) 3/8" nylon spacers and (2) 1/4" delta nuts to secure (Fig. 3).

Side Frame
Support

B
Side Frame
Support

Top
Ladder
Extension

Ladder
Section

B

Side Frame

Support

B

Side Frame
Support

B

Side Frame

WARNING! Armrests are provided for comfort and should be used as armrests only. The armrests are not designed to carry the full weight of the user. Never place more than 15 pounds (7 kg) on the armrests. Failure to follow these instructions may result in serious injury or death!

**STEP 10.** Attach the **seat support** to the rear of the **standing platform** using (2) 1/4" x 2" hex bolts [D] and (2) 1/4" nylock nuts (Fig. 3).

**STEP 11.** Using (2)  $1/4" \times 1 \frac{1}{2}"$  hex bolts [C], (4) nylon washers and (2) 1/4" nylock nuts secure the **rear support hoop** to the **seat support** (Fig. 4).

**STEP 12.** Attach the **shooting rail cover** to the **shooting rail** and **armrest covers** to the **armrests** (Fig. 4).


**STEP 13.** Insert a **ladder section** into the assembled **top ladder section**. Then, connect the **under support gusset female pieces** to the **male pieces** using (2) 1/4" x 1 1/4" hex bolts [B] and (2) 1/4" nylock nuts to secure. Next, attach the **under support gussets** to the inside of the **standing platform** and outside of the **ladder sections** using (4) 1/4" x 2" hex bolts [D] and (4) 1/4" nylock nuts to secure (Fig. 5).


**STEP 14.** Attach the **ladder section supports** to the **bottom ladder section** using (4) 1/4" x 2" hex bolts [D] and (4) 1/4" nylock nuts to secure. Refer to page 11 for field installation and support bar assembly (Fig. 5A).


STEP 15. SECURELY TIGHTEN EVERY NUT AND BOLT AT THIS TIME (using (2) adjustable wrenches, not included).


WARNING! YOU MUST NEVER OVERTIGHTEN HARDWARE. OVERTIGHTENING CAN RESULT IN AN UNSAFE CONDITION AND PRODUCT FAILURE. FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR DEATH!

You are now ready to install your ladderstand. Refer to pages 11-14, **Field Installation-Ladderstands**, for installation instructions.









#### FIELD INSTALLATION - LADDERSTANDS

#### ADJUSTABLE SUPPORT BARS

STEP 1. Select a straight, healthy tree, one devoid of dead branches or loose bark. DO NOT attempt to install this product on a tree that is not healthy.


WARNING! DO NOT attempt to install this product on a tree that is not straight, healthy and devoid of dead branches, limbs, vines or anything that might interfere with installation. DO NOT attempt to install this treestand on a tree that is leaning, diseased, crooked, has loose bark, or does not meet the minimum installation diameter of nine (9) inches (23 cm) at treestand installation height (i.e., seating platform height). Failure to follow these instructions may result in injury or death!

STEP 2. Insert (2) ladder sections to the previously assembled ladder section. Secure the ladder sections and support bar ladder pieces using (4) 1/4" x 2 1/4" hex bolts [E], (4) nylon washers and (4) 1/4" nylock nuts. Note: All ladder sections will be assembled with the male end facing upward and all female ends (sleeves) facing downward (Fig. 1).

**STEP 3.** Using (2) 1/4" x 2" **snap pins** attach the **support bar tree piece** to the lower **support bar ladder piece** and the **adjustable support bar** to the upper **support bar ladder piece**. Then, connect the upper and lower **support bars** using (1) 1/4" x 2" **snap pin** (Fig. 1). **NOTE:** These figures relate to Step 3 of the Installation Instructions from page 13.

STEP 4. Attach the assembled bottom ladder section to the ladder sections using (2) 1/4" x 1 1/4" snap pins to secure (Fig. 1B).

MARNING! The snap pins must be installed as outlined. These snap pins must have the wire retainer engaged as shown in Figure 1A. Failure to follow these instructions may result in serious injury or death!



#### FIELD INSTALLATION - LADDERSTANDS

Prior to using this stand you must also read and follow all Safety Warnings from pages 3-7 of this manual.



WARNING! You must wear the factory provided full-body fall arrest harness included with this product at all times during use of this product. Failure to follow these instructions may result in serious injury or death!



WARNING! Never climb, install or use a treestand with a single safety belt or chest harness. These devices have been deemed unsafe for use in climbing apparatus applications and may endanger your personal safety. Use only the factory provided full-body fall arrest harness or a similar fullbody fall arrest harness meets or exceeds industry standards recognized by TMA. Failure to follow these instructions may result in serious injury or death!



WARNING! DO NOT use this, or any other product(s) to climb utility poles, telephone poles, structural columns or any other man-made structures. Never use this or any other product(s) around power generation (transformers, generators, substations, etc.) and/or power transmission equipment (power lines). Failure to follow these instructions may result in serious injury or death!



WARNING! Do not use this or any other product(s) if you have a history of heart problems, back problems, impaired vision, equilibrium problems, high blood pressure or any other physical impairment that may limit your ability to use and/or operate this product(s) in the safe manner outlined in this Instruction Manual. Additionally, do not use this or any other product(s) if you are currently taking any medication and/or substance, including alcohol, that may limit your ability to use this product(s) as outlined and described in this Instruction Manual. Failure to follow these instructions may result in serious injury or death!



WARNING! Do not attempt to use this or any other product(s) when thunderstorms are threatening and/or present within five (5) miles. Do not attempt to use this or any other product(s) when any other adverse weather condition presents itself. These include weather conditions which have the potential for producing winds, lightning, rain, snow, sleet and/ or any other atmospheric condition which may limit the user's ability to operate this product(s) in a safe manner as described in this Instruction Manual. Failure to follow these instructions may result in serious injury or death!



WARNING! This product(s) is designed for adult use only! No one under the age of 16 shall attempt to use this or any other product(s) without direct adult supervision. Failure to follow these instructions may result in serious injury or death!



WARNING! Do not attempt to use this and/or any other product(s) when ice, snow and/or freezing rain has deposited or formed on any portion of the tree you intend to climb. Failure to follow these instructions may result in serious injury or death!



WARNING! Never attempt to either climb up or climb down with a weapon in your possession. ALWAYS unload your weapon and pull it up to hunting height using a tether or pull-up rope. ALWAYS lower your unloaded weapon down to the ground prior to attempting to climb down. Failure to follow these instructions may result in serious injury or death!



WARNING! Never attempt to hunt from an unlevel treestand. Additionally, never attempt to level your treestand at heights above the ground. If you find that your treestand is unlevel, canted, angled awkwardly upward or downward, or in any configuration other than level, immediately climb down to ground-level and readjust your treestand as necessary to alleviate this awkward angle. Failure to follow these instructions may result in serious injury or death!



WARNING! Thoroughly inspect this or any other product(s) prior to each use for signs of wear, rot, corrosion, cracks, deterioration and/or any other type of defect. Protect this product from extended exposure to direct sunlight, excessive heat or freezing temperatures. Do not use this or any other product(s) if it shows evidence of wear, rot, corrosion, cracks, deterioration and/or any other type of defect. Failure to follow these instructions may result in serious injury or death!

We are very serious about your personal safety. A full-body fall arrest harness has been included with this product for your use. The full-body fall arrest harness, meets or exceeds industry standards recognized by TMA, has been designed to keep you from experiencing a fall.

READ THE FULL-BODY FALL ARREST HARNESS SECTION (PAGES 3-7) CAREFULLY AND FOLLOW ALL OF THE INSTRUCTIONS! YOUR FULL-BODY FALL ARREST HARNESS AND ITS COMPONENTS (I.E., LANYARD/TETHER, TREE BELT, CLIMBING BELT, SUSPENSION RELIEF DEVICE) IS DESIGNED FOR A MAXIMUM CAPACITY (USER AND EQUIPMENT) OF 300 POUNDS (136 kg). ADDITIONALLY, YOUR FULL-BODY FALL ARREST HARNESS (AND IT COMPONENTS) MUST BE REPLACED AFTER THREE (3) YEARS OF SERVICE! PLEASE CONTACT BIG GAME TREESTANDS FOR FULL-BODY FALL ARREST HARNESS REPLACEMENT PROCEDURE SHALL YOU EXPERIENCE A FALL OR SHALL IT EXCEED THE THREE (3) YEAR SERVICE PERIOD.



WARNING! Prior to attempting to use this or any other product(s) you must take a moment and become familiar with its assembly, setup, installation and removal. You must practice installing, setting-up and using this product at ground-level prior to attempting to use it at heights above ground-level. Once you have become thoroughly knowledgeable and comfortable with this product(s) setup, installation, removal and use at ground-level, you are now ready to use it at heights above ground-level. Failure to follow these instructions may result in serious injury or death!



WARNING! These ladderstands were designed to be used on trees with a MINIMUM DIAMETER OF 9 INCHES (23 CM) AND A MAXIMUM DIAMETER OF 20 INCHES (51 CM) AT TREESTAND INSTALLATION HEIGHT (I.E., SEATING PLATFORM HEIGHT). DO NOT attempt to install on trees with smaller or larger diameters. Failure to follow these instructions may result in serious injury or death!




WARNING! Never install, set-up, remove or climb to your ladderstand with a weapon. Use a pull up rope to carefully raise your unloaded weapon after full-body fall arrest harness is secure and you are set in the stand.

To activate your product's warranty, a registration card can be found on page 15 and must be completed and returned to the manufacturer within 30 days of purchase. Be sure to keep a copy of this for your records

#### FIELD INSTALLATION - LADDERSTANDS

**STEP 1.** Attach the (2) stabilizer straps to each side of the rear frame support (near the bark biters). Secure stabilizer straps by wrapping stabilizer straps around rear frame support and pulling the tag-end (the end without the sewn loop) through its looped end (Fig. 1). Next, firmly tie stabilizer straps to a lower-level ladder rung (Fig. 2). **NOTE:** Do not attempt to install your ladderstand without the stabilizer straps firmly tied to the ladder (Fig. 2).



STEP 2. Place the fully-assembled


ladderstand flat on the ground in front of the tree with the bottom ladder section approximately two (2) feet away from the base of the trunk. Next, with at least three (3) adults, gently raise the ladderstand to a vertical position allowing the bark biters to come into direct contact with the tree (Fig. 2). Once elevated completely, carefully pull the lower ladder section away from the tree until the seating & standing platforms are parallel to the ground (Fig. 2). You must have two (2) other adults hold each side of the ladder portion of the ladderstand while anyone is climbing to secure the platform.


WARNING! You must have two (2) other adults hold each side of the ladder portion of the ladderstand while anyone is climbing to secure the platform. Failure to follow these instructions may result in serious injury or death!

**STEP 3.** The support bar must be bolted to the ladder sections. Adjust the length so that the tree piece fits snugly to the tree, providing rigid support to the ladder; insert snap pin to secure. Once you have set the adjustable support bar, use the support bar rope to secure it to the tree (See page 11).

**STEP 4.** When the ladderstand is level and the adjustable support bar is secure, untie the stabilizer straps from the ladder section. Criss-cross stabilizer straps behind the tree trunk pulling them snug. Then, secure each stabilizer strap by tying several firm knots around a middle section ladder rung. **NOTE:** Tie the stabilizer straps as high as you can reach while standing safely on the ground (Fig. 3).

warning! The two (2) stabilizer straps must be attached and tightened prior to climbing to attach the platform(s) ratchet strap(s). Additionally, the adjustable support bar(s) and the adjustable support bar(s) rope must be installed (where included) prior to climbing to install the platform(s) ratchet(s) straps. Failure to follow these instructions may result in serious injury or death!





to follow these instructions may result in serious injury or death!

WARNING! Prior to attempting to climb a ladder stand for the first time, make certain the feet of the bottom rung ladder section are firmly planted on solid, level ground. If they are not firmly planted on level ground, **DO NOT** climb the ladder. With the help of two (2) other adults, lower the stand and find a suitable location to safely install the ladder stand. Failure to follow these instructions may result in serious injury or death!


manner previously described. Failure

WARNING! Before attempting to climb the ladderstand, bounce on the bottom ladder section to set the ladder into the ground before attempting to climb the ladderstand. Once the ladderstand has been set, re-check the stabilizer straps, making sure they are tight and the adjustable support bar is level and firmly, and tightly installed. Failure to follow these instructions may result in serious injury or death!

WARNING! When installing ladderstands, Always lean forward as you climb and attach your full-body fall arrest harness tree belt to the tree prior to securing the ratchet strap(s) on the platform(s) to the tree and stepping onto the platform. Failure to follow these instructions may result in serious injury or death!

STEP 5. CRITICAL STEP! After installing the adjustable support bar and stabilizer straps, it is now time to attach the RATCHET STRAP(S) to the top section of your ladderstand. Ratchet straps are attached at the contact point from the stand to the tree (Fig. 4). Hook one end of the ratchet strap onto the rear frame support, near the bark biters, wrap around tree trunk, and connect to opposite side. Carefully tighten the RATCHET STRAP securely (see page 14). It is vital the ratchet strap(s) is installed as outlined here in these Instructions for the safe operation of this product (Fig. 5, page 14). NOTE: TWO (2) RATCHET STRAPS ARE INCLUDED AND NECESSARY FOR SOME MODELS. ALWAYS USE ALL PARTS REQUIRED.

warning! When climbing to secure the ratchet strap(s) on the platform(s), it is important to lean forward when climbing to keep the stand centered and secure to the tree trunk. DO NOT lean backwards when climbing. Failure to follow these instructions may result in serious injury or death!



WARNING! When climbing, always maintain

three points of contact as you ascend (climb up) and while descending (climb down). Failure to maintain three points of contact puts the user at serious risk of bodily injury. Failure to follow these instructions may result in serious injury or death!

warning! The platform ratchet strap(s), stabilizer straps and adjustable support bar(s) have all been included with your new ladderstand to ensure its solid attachment to the tree. All three of these safety devices must be installed as outlined in this Instruction Manual. Failure to install these safety devices as outlined in this Instruction Manual may result in serious injury or death!

STEP 8. You are now ready to use your ladderstand!

**WARNING!** This product(s) is designed for adult use only! No one under the age of 16 shall attempt to use this or any other product(s) without direct adult supervision. Failure to follow these instructions may result in serious injury or death!


#### VITAL RATCHET INSTRUCTIONS


**STEP 1.** Thread strap through slot in the center of the ratchet reel (Fig. 1). Remove slack from strap by pulling loose end as tightly as possible (Fig. 2).


**STEP 2.** Then ratchet handle back and forth to tighten straps, a minimum of two (2) wraps around the ratchet reel is required (Fig. 3).


STEP 3. After strap is tight, close handle to the lock position.

**STEP 4.** To remove tension, pull spring loaded retaining lock and open ratchet completely, then manually pull strap to loosen (Fig. 4).









#### STANDARD LIMITED WARRANTY

**Warranty: Mainstream Holdings, Inc.** warrants all Big Game® treestands or climbing system products to be free from defects in material and workmanship for a period of twelve months from the original date of retail purchase. Mainstream Holdings, Inc. warrants the enclosed hardware (where applicable) is delivered to be free from physical defects for a period of twelve months from the original date of retail purchase.

Repair Procedures, Exclusive Remedy: Mainstream Holdings, Inc. will at its option, repair, or replace products not conforming to this limited warranty at no charge. THIS IS THE SOLE AND EXCLUSIVE REMEDY AVAILABLE FOR BREACH OF WARRANTY OR UNDER ANY OTHER LEGAL THEORY WITH RESPECT TO MAINSTREAM HOLDINGS, INC. PRODUCTS. If you find a product to be defective, contact the customer service department at (800) 268-5077. When you receive authorization, return the product as directed at your expense. Product repairs not covered by warranty, and product updates, will be provided at a set rate.

**Limitations:** This warranty is void if the product is damaged by improper or abnormal use or by accident; if the product is altered or modified in any way other than those directed by official product instructions; or if any attempt is made to repair the product without authorization from Mainstream Holdings, Inc. It is solely the purchaser's responsibility to determine the suitability of these products for each particular application. Mainstream Holdings, Inc. products are intended for hunting and hunting only. Mainstream Holdings, Inc. products are in all events not suitable, and are not authorized, for use in any situations that might pose potentially injurious to life and health, other than those situations that the products are intended for. This warranty is not assignable or transferable.

No Other Warranties: EXCEPT AS PROVIDED IN THIS LIMITED WARRANTY SET FORTH IN THE WARRANTY CARD SUPPLIED WITH BIG GAME® TREESTANDS PRODUCTS AND INSTRUCTION SHEETS ARE PROVIDED "AS IS". ALL OTHER WARRANTIES AND REPRESENTATIONS, ORAL OR WRITTEN, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED AND DO NOT APPLY. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HERE OF. Except as required by law, no representative, agent or employee of Mainstream Holdings, Inc. is authorized to make warranties, representations, or obligations inconsistent with or in addition to those set forth in this limited warranty.

**No Damages:** In no event will Mainstream Holdings, Inc. be liable for direct, indirect, special, incidental, or consequential damages resulting from breach of warranty or under any other legal theory, even if advised of the possibility of such damages. In no event will Mainstream Holdings, Inc. be liable for sums in excess of the purchase price of the product. Mainstream Holdings, Inc. is thus not liable for lost profits or goodwill; downtime; damage or destruction of items or equipment used with, or in conjunction with, Mainstream Holdings, Inc.; personal injury or loss; or any other damages.

**General:** (a) This agreement is the entire agreement between you and Mainstream Holdings, Inc.; supersedes any prior or different agreements, representations, or proposals; and may be changed only by written agreement with Mainstream Holdings, Inc. (b) Waiver by any party of any default or breach of this agreement will not constitute a waiver of any subsequent default or breach of the same of different kind. (c) The invalidity of any provision of this agreement shall not affect the validity of the other provisions hereof. (d) This agreement shall be governed by the laws of the State of Minnesota, U.S.A.

Mainstream Holdings, Inc., PO Box 382, Windom, Minnesota 56101

#### **REGISTRATION INFORMATION**

Although Big Game® Treestands are manufactured with the highest standards, regular maintenance is required for the upkeep of your product. Regular maintenance is the responsibility of the consumer; we recommend that you replace all strap assemblies and cam-buckle straps for your treestand at least annually, cables at least every two years, and ALL hardware at least every three years. If at anytime there is a defect with any part of your treestand, we insist that you replace the part prior to using the stand. Improper or incorrectly performed maintenance or repair, including the use of unauthorized replacement parts, will void all warranties. Replacement parts may be ordered on our website at www. BigGameTreestands.com or by calling our customer service department at (800) 268-5077.

#### **OWNER'S RECORD**

Product Name
Model Number
Serial/Batch number
$(Find\ your\ Batch\ number\ on\ a\ riveted\ metal\ tag\ affixed\ to\ your\ product)$
Purchased From
Purchased Date
YOU MUST RETURN THE COMPLETED REGISTRATION
CARD ABOVE WITHIN (30) DAYS OF THE PURCHASE IN ORDERTO ACTIVATE THE LIMITED WARRANTY COVERAGE.
(Make sure to include date purchased on the card!)

To activate your product's warranty, please mail in your registration card or submit it online at www.BigGameTreestands.com

#### PRODUCT REGISTRATION

Product Purchased Alpine		Model Number <b>LS0700</b>
Serial/Batch Number		
Street Address		
		Code
E-mail Address		Phone
Owners Age (optional)	Gender (option	al) M F
Date Purchased		
Purchased From (Dealer Name)		
How did you hear about us:	CatalogWebpa	age Friend Magazine
Other, Please Explain		
Are you a: Bo	w Hunter Gun l	Hunter Both
Treestand Preference:Fix	ed Position Cli	mbing Ladderstand
Will you use the full-body fall a	rrest harness provided o	r a different brand?
If different, which brand & mod	del?	



PO Box 382 • Windom, MN 56101 (800) 268-5077 • (507) 831-4350 www.BigGameTreestands.com